

DHANALAKSHMI SRINIVASAN ENGINEERING COLLEGE



(AUTONOMOUS)
(Approved by AICTE & Affiliated to Anna University, Chennai)
Accredited with 'A' Grade by NAAC, Accredited by TCS
Accredited by NBA with BME, ECE & EEE
PERAMBALUR - 621 212. Tamil Nadu.
website : www.dsengg.ac.in



U20IT502 SOFTWARE ENGINEERING UNIT I SOFTWARE PROCESS PART-A

1. What is software engineering? [APR MAY 2010]

Software engineering is a discipline in which theories, methods and tools are applied to develop professional software.

2. What is Software?[NOV/DEC 2010]

Software is nothing but a collection of computer programs that are related documents that are indented to provide desired features, functionalities and better performance.

3. What are the characteristics of the software? [APR/MAY 2013]

- Software is engineered, not manufactured.
- Software does not wear out.
- Most software is custom built rather than being assembled from components.

4. What are the various categories of software? [[NOV/DEC 2014]

- System software
- Application software
- Engineering/Scientific software
- Embedded software
- Web Applications
- Artificial Intelligence software

5. What are the challenges in software?

- Copying with legacy systems.
- Heterogeneity challenge
- Delivery times challenge

6. Define software process.

Software process is defined as the structured set of activities that are required to develop the software system.

7. What are the fundamental activities of a software process?

- Specification
- Design and implementation
- Validation
- Evolution

8. What are the umbrella activities of a software process?[APR/MAY 2012]

- Software project tracking and control.
- Risk management.
- Software Quality Assurance.

- Formal Technical Reviews.
- Software Configuration Management.
- Work product preparation and production.
- Reusability management.
- Measurement.

9. What are the merits of incremental model?

- The incremental model can be adopted when there are less number of people involved in the project.
- Technical risks can be managed with each increment.
- For a very small time span, at least core product can be delivered to the custom

10. List the task regions in the Spiral model.[APR/MAY 2015]

- Customer communication – In this region it is suggested to establish customer communication.
- Planning – All planning activities are carried out in order to define resources timeline and other project related activities.
- Risk analysis – The tasks required to calculate technical and management risks
- Engineering – In this the task region, tasks required to build one or more representations of applications are carried out.
- Construct and release – All the necessary tasks required to construct, test, install applications are conducted. Customer evaluation – Customer’s feedback is obtained based on the customer evaluation required tasks are performed and implemented at installation stage.

11. What are the drawbacks of spiral model? [[NOV/DEC 2014]

- It is based on customer communication. If the communication is not proper then the software product that gets developed will not be the up to the mark.
- It demands considerable risk assessment. If the risk assessment is done properly then only the successful product can be obtained.

12. What is System Engineering?

System Engineering means designing, implementing, deploying and operating systems which include hardware, software and people

13. List the process maturity levels in SEIs CMM.

- Level 1: Initial – Few processes are defined and individual efforts are taken.
- Level 2: Repeatable – To track cost schedule and functionality basic project management processes are established.
- Level 3: Defined – The process is standardized, documented and followed.
- Level 4: Managed – Both the software process and product are quantitatively understood and controlled using detailed measures.
- Level 5: Optimizing – Establish mechanisms to plan and implement change.

14. What is an effector process?

The effector process is a process that verifies itself. The effector process exists in certain criteria.

15. Define the computer based system.

The computer based system can be defined as “a set or an arrangement of elements that are organized to accomplish some predefined goal by processing information”.

16. What does Verification represent?

Verification represents the set of activities that are carried out to confirm that the software correctly implements the specific functionality.

17. What does Validation represent?

Validation represents the set of activities that ensure that the software that has been built is satisfying the customer requirements.

18. What are the steps followed in testing?

- Unit testing – The individual components are tested in this type of testing.
- Module testing – Related collection of independent components are tested.
- Sub-system testing – This is a kind of integration testing. Various modules are integrated into a subsystem and the whole subsystem is tested.
- System testing – The whole system is tested in this system.
- Acceptance testing – This type of testing involves testing of the system with customer data. If the system behaves as per customer need then it is accepted.

19. What is the use of CMM?

Capability Maturity Model is used in assessing how well an organization's processes allow to complete and manage new software projects.

20. Name the Evolutionary process Models.

- Incremental model
- Spiral model
- WIN-WIN spiral model
- Concurrent Development.

21. What is requirement engineering? [APR/MAY 2011],[APR/MAY 2015]

Requirement engineering is the process of establishing the services that the customer requires from the system and the constraints under which it operates and is developed.

22. What are the various types of traceability in software engineering?

- Source traceability – These are basically the links from requirement to stakeholders who propose these requirements.
- Requirements traceability – These are links between dependent requirements.iii. Design traceability – These are links from requirements to design.

23. What is meant by Software engineering paradigm?

The development strategy that encompasses the process, methods and tools and generic phases is often referred to as a process model or software engineering paradigm.

24. What are the various elements for computer based system? [APR/MAY 2012]

1. Software
2. Hardware
3. People
4. Database
5. Documentation
6. Procedures.

25. Define static verification?

Physical inspection of it. Example: software metric calculation. **Dynamic verification** is performed during the execution of software and dynamically **Static verification** is a process to check some requirements of software doing a physical inspection of it. Example: software metric calculation.

UNIT II SOFTWARE REQUIREMENTS

1. Define software prototyping.

Software prototyping is defined as a rapid software development for validating the requirements.

2. What are the benefits of prototyping? [APR/MAY 2012]

- Prototype serves as a basis for deriving system specification.
- Design quality can be improved.
- System can be maintained easily.
- Development efforts may get reduced.
- System usability can be improved.

3. What are the prototyping approaches in software process?[APR/MAY 2015]

- Evolutionary prototyping – In this approach of system development, the initial prototype is prepared and it is then refined through number of stages to final stage.
- Throw-away prototyping – Using this approach a rough practical implementation of the system is produced. The requirement problems can be identified from this implementation. It is then discarded. System is then developed using some different engineering paradigm.

4. What are the advantages of evolutionary prototyping? [APR/MAY 2012]

- Fast delivery of the working system.
- User is involved while developing the system.
- More useful system can be delivered.
- Specification, design and implementation work in co-ordinated manner.

5. What are the various Rapid prototyping techniques? [[NOV/DEC 2014]

- Dynamic high level language development.
- Database programming.
- Component and application assembly.

6. What is the use of User Interface prototyping? [APR/MAY 2012]

This prototyping is used to pre-specify the look and feel of user interface in an effective way.

7. What are the characteristics of SRS?

- Correct – The SRS should be made up to date when appropriate requirements are identified.
- Unambiguous – When the requirements are correctly understood then only it is possible to write unambiguous software.
- Complete – To make SRS complete, it should be specified what a software designer wants to create software.
- Consistent – It should be consistent with reference to the functionalities identified.
- Specific – The requirements should be mentioned specifically.
- Traceable – What is the need for mentioned requirement? This should be correctly identified.

8. What are the objectives of Analysis modeling?

- To describe what the customer requires.
- To establish a basis for the creation of software design.

➤ To devise a set of valid requirements after which the software can be built.

9. What is data modeling? [APR/MAY 2012]

Data modeling is the basic step in the analysis modeling. In data modeling the data objects are examined independently of processing. The data model represents how data are related with one another.

10. What is a data object? [NOV/DEC 2014]

Data object is a collection of attributes that act as an aspect, characteristic, quality, or descriptor of the object.

11. What are attributes?

Attributes are the one, which defines the properties of data object.

12. What is cardinality in data modeling?

Cardinality in data modeling, cardinality specifies how the number of occurrences of one objects is related to the number of occurrences of another object.

13. What does modality in data modeling indicates? [APR/MAY 2015]

Modality indicates whether or not a particular data object must participate in the relationship.

14. What is ERD? [[NOV/DEC 2014]

Entity Relationship Diagram is the graphical representation of the object relationship pair. It is mainly used in database applications.

15. What is DFD?

Data Flow Diagram depicts the information flow and the transforms that are applied on the data as it moves from input to output.

16. What does Level0 DFD represent?

Level0 DFD is called as “fundamental system model” or “context model”. In the context model the entire software system is represented by a single bubble with input and output indicated by incoming and outgoing arrows

17. What is a state transition diagram?

State transition diagram is basically a collection of states and events. The events cause the system to change its state. It also represents what actions are to be taken on the occurrence of particular event.

18. Define Data Dictionary.

The data dictionary can be defined as an organized collection of all the data elements of the system with precise and rigorous definitions so that user and system analyst will have a common understanding of inputs, outputs, components of stores and intermediate calculations.

19. What are the elements of Analysis model?

- Data Dictionary
- Entity Relationship Diagram
- Data Flow Diagram
- State Transition Diagram
- Control Specification
- Process specification

20. What are functional requirements? [APR/MAY 2014]

Functional requirements are” statements of services the system should provide how the system should react to particular input and how the system should behave in particular situation.

21. What are non-functional requirements? [APR/MAY 2014]

Nonfunctional requirements are constraints on the services or functions offered by the system such as timing constraints, constraints on the development process, standards, etc.

22. What is the outcome of feasibility study? The outcome of feasibility study is the results obtained from the following questions:

- Which system contributes to organizational objectives?
- Whether the system can be engineered? Is it within the budget?
- Whether the system can be integrated with other existing system?

23. What is meant by structural analysis? [NOV/DEC 2013]

The structural analysis is mapping of problem domain to flows and transformations. The system can be modeled by using Entity Relationship diagram, Data flow diagram and Control flow diagrams.

UNIT III DESIGN CONCEPTS AND PRINCIPLES

1. What are the elements of design model?[APR/MAY 2015]

- Data design
- Architectural design
- Interface design
- Component-level design

2. Define design process.

Design process is a sequence of steps carried through which the requirements are translated into a system or software model.

3. List the principles of a software design. [[NOV/DEC 2014]

- The design process should not suffer from “tunnel vision”.
- The design should be traceable to the analysis model.
- The design should exhibit uniformity and integration.
- Design is not coding.
- The design should not reinvent the wheel.

4. What is the benefit of modular design?

Changes made during testing and maintenance becomes manageable and they do not affect other modules.

5. What is a cohesive module? [[NOV/DEC 2014]

A cohesive module performs only “one task” in software procedure with little interaction with other modules. In other words cohesive module performs only one thing.

6. What are the different types of Cohesion?

- Coincidentally cohesive –The modules in which the set of tasks are related with each other loosely then such modules are called coincidentally cohesive.
- Logically cohesive – A module that performs the tasks that are logically related with each other is called logically cohesive.
- Temporal cohesion – The module in which the tasks need to be executed in some specific time span is called temporal cohesive.
- Procedural cohesion – When processing elements of a module are related with one another and must be executed in some specific order then such module is called procedural cohesive.
- Communicational cohesion – When the processing elements of a module share the data then such module is called communicational cohesive.

7. What is coupling? [APR/MAY 2012]

Coupling is the measure of interconnection among modules in a program structure. It depends on the interface complexity between modules.

8. What are the various types of coupling?

- Data coupling – The data coupling is possible by parameter passing or data interaction.
- Control coupling – The modules share related control data in control coupling.
- Common coupling – The common data or a global data is shared among modules.
- Content coupling – Content coupling occurs when one module makes use of data or control information maintained in another module.

9. What are the common activities in design process? [APR/MAY 2015]

- System structuring – The system is subdivided into principle subsystems components and communications between these subsystems are identified.
- Control modeling – A model of control relationships between different parts of the system is established.
- Modular decomposition – The identified subsystems are decomposed into modules.

10. What are the benefits of horizontal partitioning?

- Software that is easy to test.
- Software that is easier to maintain.
- Propagation of fewer side effects.
- Software that is easier to extend.

11. What is vertical partitioning?

Vertical partitioning often called factoring suggests that the control and work should be distributed top-down in program structure.

12. What are the advantages of vertical partitioning? [APR/MAY 2012]

- These are easy to maintain changes.
- They reduce the change impact and error propagation.

13. What are the various elements of data design?

- Data object – The data objects are identified and relationship among various data objects can be represented using ERD or data dictionaries.
- Databases – Using software design model, the data models are translated into data structures and data bases at the application level.
- Data warehouses – At the business level useful information is identified from various databases and the data warehouses are created.

14. List the guidelines for data design. [[NOV/DEC 2014]

- Apply systematic analysis on data.
- Identify data structures and related operations.
- Establish data dictionary.
- Use information hiding in the design of data structure.
- Apply a library of useful data structures and operations.

15. Name the commonly used architectural styles.

- Data centered architecture.
- Data flow architecture.
- Call and return architecture.

- Object-oriented architecture.
- Layered architecture.

16. What is Transform mapping?

The transform mapping is a set of design steps applied on the DFD in order to map the transformed flow characteristics into specific architectural style.

17. What is a Real time system?

Real time system is a software system in which the correct functionalities of the system are dependent upon results produced by the system and the time at which these results are produced.

18. What are the objectives of Analysis modeling?

- To describe what the customer requires.
- To establish a basis for the creation of software design.
- To devise a set of valid requirements after which the software can be built.

19. What is an architectural design? [APR/MAY 2014]

The architectural design defines the relationship between major structural elements of the software, the “design patterns” that can be used to achieve the requirements that have been defined for the system.

20. What is data design?

The data design transforms the information domain model created during analysis into the data structures that will be required to implement the software.

21. What is interface design?

The interface design describes how the software communicates within itself, with systems that interoperate with it, and with humans who use it.

22. What is component level design?

The component level design transforms structural elements of the software architecture into a procedural description of software components.

23. What is software design?

Software design is an iterative process through which the requirements are translated into a “blueprint” for constructing the software.

24. What is user interface design?

User interface design creates an effective communication medium between a human and a computer.

25. What is system design?

System design process involves deciding which system capabilities are to be implemented in software and which in hardware.

26. What are data acquisition systems? [APR/MAY 2014]

Systems that collect data from sensors for subsequent processing and analysis are termed as data acquisition systems. Data collection processes and processing processes may have different periods and deadlines.

27. What is SCM? [APR/MAY 2012]

Software Configuration Management is a set of activities carried out for identifying, organizing and controlling changes throughout the lifecycle of computer software.

28. What is SCI? [APR/MAY 2012]

Software Configuration Item is information that is carried as part of the software engineering process.

UNIT IV TESTING

1. Define software testing? [APR/MAY 2015]

Software testing is a critical element of software quality assurance and represents the ultimate review of specification, design, and coding.

2. What are the objectives of testing? [APR/MAY 2015]

- Testing is a process of executing a program with the intend of finding an error.
- A good test case is one that has high probability of finding an undiscovered error.
- A successful test is one that uncovers as an-yet undiscovered error.

3. What are the testing principles the software engineer must apply while performing the software testing?

- All tests should be traceable to customer requirements.
- Tests should be planned long before testing begins.
- The pareto principle can be applied to software testing-80% of all errors uncovered during testing will likely be traceable to 20% of all program modules.
- Testing should begin “in the small” and progress toward testing “in the large”.
- Exhaustive testing is not possible.
- To be most effective, an independent third party should conduct testing.

4. What are the two levels of testing? [APR/MAY 2012]

- Component testing Individual components are tested. Tests are derived from developer’s experience.
- System testing the group of components is integrated to create a system or sub- system is done. These tests are based on the system specification.

5. What are the various testing activities?[APR/MAY 2012]

- Test planning
- Test case design
- Test execution
- Data collection
- Effective evaluation

6. Write short note on black box testing.

The black box testing is also called as behavioral testing. This method fully focuses on the functional requirements of the software. Tests are derived that fully exercise all functional requirements.

7. What is equivalence partitioning? [[NOV/DEC 2014]

Equivalence partitioning is a black box technique that divides the input domain into classes of data. From this data test cases can be derived. Equivalence class represents a set of valid or invalid states for input conditions.

8. What is a boundary value analysis? [APR/MAY 2012]

A boundary value analysis is a testing technique in which the elements at the edge of the domain are selected and tested. It is a test case design technique that complements equivalence Partitioning technique. Here instead of focusing on input conditions only, the test cases are derived from the output domain.

9. What are the reasons behind to perform white box testing?

There are three main reasons behind performing the white box testing.

- Programmers may have some incorrect assumptions while designing or implementing some functions. Due to this there are chances of having logical errors in the program. To detect and correct such logical errors procedural details need to be examined.
- Certain assumptions on flow of control and data may lead programmer to make design errors. To uncover the errors on logical path, white box testing is must.

- There may be certain typographical errors that remain undetected even after syntax and type checking mechanisms. Such errors can be uncovered during white box testing.

10. What is cyclomatic complexity? [APR/MAY 2015]

Cyclomatic complexity is software metric that gives the quantitative measure of logical complexity of the program. The Cyclomatic complexity defines the number of independent paths in the basis set of the program that provides the upper bound for the number of tests that must be conducted to ensure that all the statements have been executed at least once.

11. How to compute the cyclomatic complexity? [APR/MAY 2012]

The cyclomatic complexity can be computed by any one of the following ways.

1. The numbers of regions of the flow graph correspond to the cyclomatic complexity.
2. Cyclomatic complexity, $V(G)$, for the flow graph, G , is defined as: $V(G)=E-N+2$, E -- number of flow graph edges, N -- number of flow graph nodes
3. $V(G) = P + 1$ Where P is the number of predicate nodes contained in the flow graph.

12. Distinguish between verification and validation.

Verification refers to the set of activities that ensure that software correctly implements a specific function. Validation refers to a different set of activities that ensure that the software that has been built is traceable to the customer requirements. According to Boehm,

- Verification:” Are we building the product right?”
- Validation:” Are we building the right product?”

13. What are the various testing strategies for conventional software?

- Unit testing
- Integration testing.
- Validation testing.
- System testing.

14. Write about drivers and stubs..[APR/MAY 2015]

Drivers and stub software need to be developed to test incompatible software.

- The “driver” is a program that accepts the test data and prints the relevant results.
- The “stub” is a subprogram that uses the module interfaces and performs the minimal data manipulation if required.

15. What are the approaches of integration testing?

The integration testing can be carried out using two approaches.

1. The non-incremental testing.
2. Incremental testing.

16. What are the advantages and disadvantages of big-bang? [APR/MAY 2012]

Advantages:

This approach is simple.

Disadvantages:

- It is hard to debug.
- It is not easy to isolate errors while testing.
- In this approach it is not easy to validate test results.
- After performing testing, it is impossible to form an integrated system.

17. What are the benefits of smoke testing? [APR/MAY 2012]

- Integration risk is minimized.
- The quality of the end-product is improved.
- Error diagnosis and correction are simplified.
- Assessment of program is easy.

18. What are the conditions exists after performing validation testing? [[NOV/DEC 2014]

After performing the validation testing there exists two conditions.

- The function or performance characteristics are according to the specifications and are accepted.
-
- The requirement specifications are derived and the deficiency list is created. The deficiencies then can be resolved by establishing the proper communication with the customer.\

19. Distinguish between alpha and beta testing. [[NOV/DEC 2013]

- Alpha and beta testing are the types of acceptance testing.
- Alpha test: The alpha testing is attesting in which the version of complete software is tested by the customer under the supervision of developer. This testing is performed at developer's site.
- Beta test: The beta testing is a testing in which the version of the software is tested by the customer without the developer being present. This testing is performed at customer's site.

20. What are the various types of system testing? [[NOV/DEC 2014]

- Recovery testing – is intended to check the system's ability to recover from failures.
- Security testing – verifies that system protection mechanism prevent improper penetration or data alteration.
- Stress testing – Determines breakpoint of a system to establish maximum service level.
- Performance testing – evaluates the run time performance of the software, especially real-time software.

21. Define debugging. [APR/MAY 2012]

Debugging is defined as the process of removal of defect. It occurs as a consequence of successful testing.

22. What are the common approaches in debugging? [NOV/DEC 2013]

- Brute force method: The memory dumps and run-time tracks are examined and program with write statements is loaded to obtain clues to error causes.
- Back tracking method: The source code is examined by looking backwards from symptom to potential causes of errors.
- Cause elimination method: This method uses binary partitioning to reduce the number of locations where errors can exists.

23. Write about the types of project plan.

- Quality plan – This plan describes the quality procedures and standards that will be used in a project.
- Validation plan – This plan describes the approach, resources and schedule required for system validation.
- Configuration management plan – This plan focuses on the configuration management procedures and structures to be used.

- Maintenance plan – The purpose of maintenance plan is to predict the maintenance requirements of the system, maintenance cost and efforts required.
- Staff development plan – This plan describes how to develop the skills and experience of the project team members.

UNIT V SOFTWARE PROJECT MANAGEMENT

1. Define measure.

Measure is defined as a quantitative indication of the extent, amount, dimension, or size of some attribute of a product or process.

2. Define metrics. [APR/MAY 2015]

Metrics is defined as the degree to which a system component, or process possesses a given attribute.

3. What are the types of metrics? [APR/MAY 2012]

- Direct metrics – It refers to immediately measurable attributes. Example – Lines of code, execution speed.
- Indirect metrics – It refers to the aspects that are not immediately quantifiable or measurable. Example – functionality of a program.

4. What are the advantages and disadvantages of size measure? [NOV/DEC 2014]

Advantages:

- Artifact of software development which is easily counted.
- Many existing methods use LOC as a key input.
- A large body of literature and data based on LOC already exists.

Disadvantages:

- This method is dependent upon the programming language.
- This method is well designed but shorter program may get suffered.
- It does not accommodate non procedural languages.
- In early stage of development it is difficult to estimate LOC.

5. Write short note on the various estimation techniques. [APR/MAY 2012]

- Algorithmic cost modeling – the cost estimation is based on the size of the software.
- Expert judgment – The experts from software development and the application domain use their experience to predict software costs.
- Estimation by analogy – The cost of a project is computed by comparing the project to a similar project in the same application domain and then cost can be computed.
- Parkinson's law – The cost is determined by available resources rather than by objective assessment. □ Pricing to win – The project costs whatever the customer ready to spend it.

6. What is COCOMO model? [NOV/DEC 2014]

Constructive Cost Model is a cost model, which gives the estimate of number of man- months it will take to develop the software product.

7. Give the procedure of the Delphi method. [[NOV/DEC 2013]

1. The co-ordinator presents a specification and estimation form to each expert.
2. Co-ordinator calls a group meeting in which the experts discuss estimation issues with the coordinator and each other.

3. Experts fill out forms anonymously.
4. Co-ordinator prepares and distributes a summary of the estimates.
5. The Co-ordinator then calls a group meeting. In this meeting the experts mainly discuss the points where their estimates vary widely.
6. The experts again fill out forms anonymously.
7. Again co-ordinator edits and summarizes the forms, repeating steps 5 and 6 until the co-ordinator is satisfied with the overall prediction synthesized from experts.

8. What is the purpose of timeline chart? [[NOV/DEC 2012]

The purpose of the timeline chart is to emphasize the scope of the individual task. Hence set of tasks are given as input to the timeline chart.

9. What is EVA? [APR/MAY 2012]

Earned Value Analysis is a technique of performing quantitative analysis of the software Project. It provides a common value scale for every task of software project. It acts as a measure for software project progress.

10. What are the metrics computed during error tracking activity?

- Errors per requirement specification page.
- Errors per component-design level
- Errors per component-code level
- DRE-requirement analysis
- DRE-architectural analysis
- DRE-component level design
- DRE-coding.

11. Why software change occurs? [APR/MAY 2015]

Software change occurs because of the following reasons. New requirements emerge when the software is used. The business environment changes. Errors need to be repaired. New equipment must be accommodated. The performance or reliability may have to be improved.

12. Write about software change strategies.

The software change strategies that could be applied separately or together are:

- Software maintenance – The changes are made in the software due to requirements.
- Architectural transformation – It is the process of changing one architecture into another form.
- Software re-engineering – New features can be added to existing system and then the system is reconstructed for better use of it in future.

13. What is software maintenance?

Software maintenance is an activity in which program is modified after it has been put into use.

14. Define maintenance.

Maintenance is defined as the process in which changes are implemented by either modifying the existing system's architecture or by adding new components to the system.

15. What are the types of software maintenance? [NOV/DEC 2014]

- Corrective maintenance – Means the maintenance for correcting the software faults.
- Adaptive maintenance – Means maintenance for adapting the change in environment.
- Perfective maintenance – Means modifying or enhancing the system to meet the new requirements.

- Preventive maintenance – Means changes made to improve future maintainability.

16. What is architectural evolution? [APR/MAY 2012]

Architectural evolution is the process of changing a system from a centralized architecture to a distributed architecture like client server.

17. How the CASE tools are classified?

CASE tools can be classified by

- By function or use
- By user type (e.g. manager, tester),or
- By stage in software engineering process (e.g. requirements test).

18. What are the types of static testing tools? [APR/MAY 2015]

There are three types of static testing tools.

- Code based testing tools – These tools take source code as input and generate test cases.
- Specialized testing tools – Using this language the detailed test specification can be written for each test case.
- Requirement-based testing tools – These tools help in designing the test cases as per user.

19. What is software evolution?

Software evolution is a process of managing the changes in the software.

20. Derive ZIP"s law.

ZIP"s first law of the form,

$$fr = C \text{ [or] } nr = Cn / r$$

$C \rightarrow$ constant

$r \rightarrow$ rank for tokens

$fr \rightarrow$ frequency of occurrence

21. What is software configuration management [SCM]? [APR/MAY 2014]

Software configuration management is the art of identifying, organizing, and controlling modifications to the software being built by a programming team.

22. What is risk management? [NOV/DEC 2013]

Risk management is an activity in which risks in the software projects are identified.

23. What is software project scheduling?

Software project scheduling is an activity that distributes estimated effort across the planned project duration by allocating the effort to specified software engineering tasks.

24. Write about software change strategies.

The software change strategies that could be applied separately or together are:

- Software maintenance – The changes are made in the software due to requirements
- Architectural transformation – It is the process of changing one architecture into another form
- Software re-engineering – New features can be added to existing system and then the system is reconstructed for better use of it in future